	Supelco		www.sigmaaldrich.com
accord	FETY DATA SHE ding to Regulation (EC) No. 1907/2	20	06 Print Date 27.07.2021 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA
		tl	ne substance/mixture and of the company/undertaking
1.1	Product identifiers Product name	:	Eriochrome black T (C.I. 14645) indicator for complexometry ACS,Reag. Ph Eur
		:	<ul> <li>1.03170</li> <li>103170</li> <li>Millipore</li> <li>A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.</li> </ul>
	CAS-No.	:	1787-61-7
1.2	2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Reagent for analysis, Chemical production
1.3			
	Company	:	Merck KGaA Frankfurter Str. 250 D-64271 DARMSTADT
	Telephone Fax E-mail address	:	+49 (0)6151 72-0 +49 6151 727780 TechnicalService@merckgroup.com
1.4	Emergency telephone		
	Emergency Phone #	:	+(44)-870-8200418 (CHEMTREC (GB)) +(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Eye irritation (Category 2), H319 Long-term (chronic) aquatic hazard (Category 2), H411


For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Millipore- 1.03170

The life science business of Merck operates as MilliporeSigma in the US and Canada



Pictogram			
Signal word	Warning		
Hazard statement(s) H319 H411	Causes serious eye irritation. Toxic to aquatic life with long lasting effects.		
Precautionary statement(s) P264 P273 P280 P305 + P351 + P338	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P337 + P313 P391	If eye irritation persists: Get medical advice/ attention. Collect spillage.		
Supplemental Hazard Statements	none		
Reduced Labeling (<= 125 ml) Pictogram			
Signal word	Warning		
Hazard statement(s)	none		
Precautionary	none		

statement(s) Supplemental Hazard none Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

3.1	SubstancesFormula: C20H12N3NaO7SMolecular weight: 461,38 g/molCAS-No.: 1787-61-7				
	Component		Classification	Concentration	
	Eriochrome black T				
	CAS-No.	1787-61-7	Eye Irrit. 2; Aquatic Chronic 2; H319, H411	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.03170

The life science business of Merck operates as  $\ensuremath{\mathsf{MilliporeSigma}}$  in the US and Canada



Page 2 of 9

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Sodium oxides Combustible. Fire may cause evolution of: Sulfur oxides, nitrogen oxides Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.03170

Page 3 of 9





# SECTION 6: Accidental release measures

- Personal precautions, protective equipment and emergency procedures 6.1 Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- 6.2 **Environmental precautions** Do not let product enter drains.
- Methods and materials for containment and cleaning up 6.3 Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- 6.4 **Reference to other sections** For disposal see section 13.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Protected from light. Tightly closed. Dry.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

**Control parameters** 8.1

Ingredients with workplace control parameters

8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm

Break through time: 480 min

Millipore- 1.03170

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 4 of 9



Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: solid Color: black
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
re-10	3170	

Millipore- 1.03170

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 9

m)	Density	No data available
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	log Pow: 1,78
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Other safety information		

Bulk density ca.400 - 600 kg/m3

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

9.2

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## **10.3** Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

#### **10.4** Conditions to avoid

no information available

**10.5 Incompatible materials** Strong oxidizing agents

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 17.590 mg/kg Remarks: Behavioral:Excitement. Behavioral:Change in motor activity (specific assay). Diarrhea (RTECS) Inhalation: No data available

Millipore- 1.03170

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 9



Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (RTECS)

## Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation Remarks: (External MSDS)

**Respiratory or skin sensitization** No data available

**Germ cell mutagenicity** No data available

**Carcinogenicity** No data available

**Reproductive toxicity** No data available

**Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

#### **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

## 12.1 Toxicity

Toxicity to fish

LC50 - Pimephales promelas (fathead minnow) - 6 mg/l - 96 h Remarks: (Lit.)

Toxicity to bacteria

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Millipore- 1.03170

Page 7 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada



No data available

SECTION 13: Disposal considerations				
13.1	13.1 Waste treatment methods			
	<b>Product</b> See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.			
SEC	TION 14: T	ransport informat	ion	
14.1	UN numb ADR/RID:		IMDG: 3077	IATA: 3077
14.2		T)		OLID, N.O.S. (Eriochrome black OLID, N.O.S. (Eriochrome black
	IATA:	T) Environmentally ha	azardous substance, solid, n.o.	s. (Eriochrome black T)
14.3	Transpor ADR/RID:	t hazard class(es) 9	IMDG: 9	IATA: 9
14.4	Packagin ADR/RID:		IMDG: III	IATA: III
14.5	<b>Environn</b> ADR/RID:	n <b>ental hazards</b> yes	IMDG Marine pollutant: yes	IATA: yes
14.6	Special p	recautions for use	er	

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

## SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **National legislation**

Seveso III: Directive 2012/18/EU of the European : ENVIRONMENTAL HAZARDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Millipore- 1.03170

Page 8 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada



# **Other regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.03170

Page 9 of 9



