

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6

Revision Date 21.08.2021

Print Date 21.08.2021

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Nitric acid 65% Suprapur®

Product Number : 1.00441

Catalogue No. : 100441

Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA
Frankfurter Str. 250
D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0

Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))
+(353)-19014670 (CHEMTREC Ireland)
001-803-017-9114 (CHEMTREC India)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008


Oxidizing liquids (Category 3), H272
Corrosive to Metals (Category 1), H290
Acute toxicity, Inhalation (Category 3), H331
Skin corrosion (Sub-category 1A), H314
Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.


2.2 Label elements

Labelling according Regulation (EC) No 1272/2008



Pictogram	
Signal word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard information (EU)	
EUH071	Corrosive to the respiratory tract.

Reduced Labeling (<= 125 ml)

Pictogram	
Signal word	Danger
Hazard statement(s)	
H331	Toxic if inhaled.
H314	Causes severe skin burns and eye damage.
Precautionary statement(s)	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard information (EU)	
EUH071	Corrosive to the respiratory tract.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component	Classification	Concentration
nitric acid		
CAS-No.	7697-37-2	>= 65 - < 70 %
EC-No.	231-714-2	
Index-No.	007-004-00-1	
Registration number	01-2119487297-23-XXXX	
	Ox. Liq. 2; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; 0 - < 70,0001 %: Acute Tox. 3, H331; >= 70,0001 %: Acute Tox. 1, H330; >= 99 %: Ox. Liq. 2, H272; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; 65 - < 99 %: Ox. Liq. 3, H272; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %: Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: fresh air. Call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO_x)

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases, nitrogen oxides

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions. **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures



Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.

Tightly closed. Do not store near combustible materials. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Viton®

Minimum layer thickness: 0,7 mm

Break through time: > 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: > 120 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

Body Protection

acid-resistant protective clothing



Respiratory protection

Recommended Filter type: Filter E-(P3)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: liquid Color: colorless
b) Odor	stinging
c) Odor Threshold	0,27 ppm - (anhydrous substance)
d) pH	< 1 at 20 °C
e) Melting point/freezing point	Melting point: ca.-32 °C
f) Initial boiling point and boiling range	121 °C at 1.013 hPa
g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	ca.9,4 hPa at 20 °C
l) Vapor density	No data available
m) Density	1,39 g/cm ³ at 20 °C
Relative density	No data available
n) Water solubility	at 20 °C soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	No data available
q) Decomposition temperature	Distillable in an undecomposed state at normal pressure.
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	The substance or mixture is classified as oxidizing with the



category 3.

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

strong oxidising agent

10.2 Chemical stability

No data available

10.3 Possibility of hazardous reactions

Risk of explosion with:

Acetone
acetonitrile
acetylidene
Alcohols
Dithallium trioxide
antimony hydride
arsenic hydride
Organic Substances
Benzene
phosphides
anilines
Amines
Halogenated hydrocarbon
Diethyl ether
dimethyl ether
hydrazines
Nitro compounds
Sulfides
Dioxane
acetic acid
Acetic anhydride
ethanol
Ethylene glycol
Fluorine
Formaldehyde
Rubber
oils
Hydrazine hydrate
Hydrocarbons
Copper
lithium silicide
organic solvents
Manganese
Cyanides
Powdered metals
Methanol
petrol
Sodium hydrosulfide
phosphorus hydrogen
anhydrides



Reducing agents
sulphur dioxide
Boranes
thiocyanates
Titanium
Toluene
Impurities
Nitric acid
hydrogen peroxide
Tin
sugars
xylene
dichloromethane
carbon/soot
potassium chlorate
with
Organic Substances
mercury(II) nitrate
with
ethanol
Organic Substances
with
sulfuric acid
Nitrobenzene
with
sulfuric acid
potassium permanganate
with
Alcohols
glycerol
with
sulfuric acid
Risk of ignition or formation of inflammable gases or vapours with:
Amines
Ammonia
combustible substances
Aldehydes
furfuryl alcohol
hydrogen iodide
Potassium
Lithium
Magnesium
phosphides
sodium
hydrides
phosphorus
pyridine
hydrogen sulphide
3-BROMO-5-CHLORO-4-HYDROXYBENZALDEHYDE
Violent reactions possible with:
Nitriles
antimony
arsenic
Boron



ferric oxide
alkalines
sodium hypochlorite
formic acid
halogen-halogen compounds
Germanium
glycerol
nitrides
Sodium hydroxide solution
Sodium hydroxide
sulfuric acid
selenium
Bismuth
chlorates

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Cellulose, Metals Contact with metals may lead to the formation of nitrous gases and hydrogen.

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute toxicity estimate Inhalation - 4 h - 3,85 mg/l
(Calculation method)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available



Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Irritation and corrosion, Risk of blindness!, Cough, Shortness of breath

Irritation and corrosion

Cough

Shortness of breath

Bloody vomiting

death

Risk of blindness!

strong pain (risk of perforation!)

tissue damage

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2,5 mg/l

(Expert judgment)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure**Aspiration hazard**

No data available

SECTION 12: Ecological information**12.1 Toxicity****Mixture**

No data available

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Biological effects:

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Does not cause biological oxygen deficit. Hazard for drinking water supplies.

Discharge into the environment must be avoided.

No data available

Components**nitric acid**

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

