

Safety Data Sheet

performance through chemistry

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 10/17/2013 Revision date: 03/13/2018

Supersedes: 10/17/2013

Version: 1.1

	Date of issue: 10/17/2013	Revision date: 03	/13/2018 S	upersedes: 10/17/2013	Version: 1.1
ECTION 1: Identificatio	on				
.1. Identification					
Product form	: Mixtures				
Product name	: Sodium Hy	droxide, 0.1N (0.1M)			
Product code	: LC24270				
1.2. Recommended use a	and restrictions on use				
Use of the substance/mixture	: For laborat	ory and manufacturing	use only.		
Recommended use	: Laboratory	chemicals			
Restrictions on use	: Not for food	d, drug or household u	se		
1.3. Supplier					
LabChem Inc Jackson's Pointe Commerce Pa Zelienople, PA 16063 - USA T 412-826-5230 - F 724-473-06 info@labchem.com - www.labch	47	's Pointe Court			
1.4. Emergency telephon	e number				
Emergency number	: CHEMTRE	C: 1-800-424-9300 or	+1-703-741-597	0	
SECTION 2: Hazard(s) id	Institution				
	substance or mixture				
	Substance of mixture				
GHS-US classification Not classified					
NOT CIASSINEU					
2.2. GHS Label elements	, including precautionary stat	ements			
Not classified as a hazardous ch	nemical.				
Other hazards not contributing to classification	o the : None.				
2.4. Unknown acute toxic	vity (GHS US)				
Not applicable					
SECTION 3: Compositio	n/Information on ingred	lients			
3.1. Substances					
Not applicable					
3.2. Mixtures					
Name	Proc	luct identifier	%	GHS-US classifi	cation
Water	(CAS-	No.) 7732-18-5	99.6	Not classified	
Water		No.) 1310-73-2	0.4	Skin Corr. 1A, H314	1
Sodium Hydroxide	(CAS-	1010-70-2		Eye Dam. 1, H318 Aquatic Acute 3, H4	102
Sodium Hydroxide		NO.) 1010-73-2			102
Sodium Hydroxide Full text of hazard classes and H	H-statements : see section 16	NO.) 1010-70-2			102
Sodium Hydroxide Full text of hazard classes and H SECTION 4: First-aid me	H-statements : see section 16	NO.) 1010-70-2			102
Sodium Hydroxide Full text of hazard classes and H SECTION 4: First-aid me 4.1. Description of first a	H-statements : see section 16 easures id measures			Aquatic Acute 3, H4	
Sodium Hydroxide Full text of hazard classes and H SECTION 4: First-aid me	H-statements : see section 16 Casures id measures : Never give				

4.2.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after ingestion	: Abdominal pain. Nausea.
Symptoms/effects upon intravenous administration	: Not available.
Chronic symptoms	: Not available.

4.3. Immediate medical attention and special treatment, if necessary

Obtain medical assistance.

Obtain medical assistance.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	shing media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Not available. Do not use a heavy water stream.
5.2. Specific hazards arising from the c	chemical
Fire hazard	: Not flammable.
Explosion hazard	: Not available.
Reactivity	: None.
5.3. Special protective equipment and	precautions for fire-fighters
Firefighting instructions	In case of fire, stop leak if safe to do so. When cooling/extinguishing: no water in the substance. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Not available.
SECTION 6: Accidental release mea	asures
	guipment and emergency procedures
General measures	: Eliminate ignition sources. Ensure adequate ventilation. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
Emergency procedures	: Wash contaminated clothes. Keep containers closed. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Not	ify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containm	nent and cleaning up
For containment	: Take up liquid spill into inert absorbent material.

 For containment
 Fake up liquid spill into inert absorbent material.

 Methods for cleaning up
 Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Additional hazards when processed	: May be corrosive to metals.
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Remove contaminated clothing immediately. Use corrosionproof equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
Hygiene measures	: Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions	: Keep container closed when not in use.
Incompatible products	: metals. Strong acids.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 5-30 °C
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: strong acids. metals. metal powders.
Storage area	: Keep locked up. Store in a well-ventilated place. Keep only in the original container.
Special rules on packaging	: SPECIAL REQUIREMENTS: corrosion-proof.
Packaging materials	: Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium Hydroxide (1310-73-2)			
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³	
OSHA	OSHA PEL (TWA) (mg/m ³)	2 mg/m ³	
IDLH	US IDLH (mg/m ³)	10 mg/m ³	
NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³	
Water (7732-18-5)			
Not applicable			

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Gloves. Safety glasses.



Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

No respiratory protection needed under normal use conditions

Thermal hazard protection:

None necessary.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic	c physical and chemical properties	
Physical state	: Liquid	
Appearance	: Clear, colorless liquid.	
Color	: Colorless	
Odor	: None.	
Odor threshold	: No data available	
рН	: No data available	

Sodium Hydroxide, 0.1N (0.1M) Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	•
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: 1 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 1.02 cSt
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not applicable.
Oxidizing properties	: None.

9.2. Other information

No additional information available

SECTION 10: Stability and reactive	vitv
10.1. Reactivity	
None.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	ons
Not established.	
10.4. Conditions to avoid	
Incompatible materials.	
10.5. Incompatible materials	
metals. Strong acids.	
10.6. Hazardous decomposition prod	lucts
Sodium oxide.	
SECTION 11: Toxicological infor	mation
11.1. Information on toxicological eff	
Likely routes of exposure	: Skin and eye contact
Acute toxicity	: Not classified
Sodium Hydroxide, 0.1N (0.1M)	
LD50 dermal rabbit	337500 mg/kg
ATE US (dermal)	337500 mg/kg body weight
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
00/00/0010	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity	: Not classified
Reproductive toxicity Specific target organ toxicity – single exposure	: Not classified : Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after ingestion	: Abdominal pain. Nausea.
Symptoms/effects upon intravenous administration	: Not available.
Chronic symptoms	: Not available.

SECTION 12: Ecological informati	on
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Sodium Hydroxide, 0.1N (0.1M)	

LC50 fish 1	11350 mg/l
EC50 Daphnia 1	10125 mg/l
Sodium Hydroxide (1310-73-2)	
LC50 fish 1	45.4 mg/l (Other, 96 h, Salmo gairdneri, Static system, Fresh water, Experimental value)
EC50 Daphnia 1	40.4 mg/l (Other, 48 h, Ceriodaphnia sp., Experimental value)

12.2. Persistence and degradability

Sodium Hydroxide, 0.1N (0.1M)	
Persistence and degradability	Not established.
Sodium Hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable (inorganic)
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Water (7732-18-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Sodium Hydroxide, 0.1N (0.1M)	
Bioaccumulative potential	Not established.
Sodium Hydroxide (1310-73-2)	
Bioaccumulative potential	Not bioaccumulative.
Water (7732-18-5)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
Sodium Hydroxide (1310-73-2)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Other information

: Avoid release to the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

- Waste disposal recommendations
- Ecology waste materials

Dispose in a safe manner in accordance with local/national regulations.
 Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated

Transportation of Dangerous Goods Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Sodium Hydroxide (1310-73-2)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

Sodium Hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information	
Revision date	: 03/13/2018
Other information	: None.
Full text of H-phrases: see section 16:	
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H402	Harmful to aquatic life

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: B
	B - Safety glasses, Gloves

SDS US LabChem

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and LabChem Inc assumes no liability resulting from the use of this SDS. The user must determine suitability of this information for his application.